# **Integrity Prophygiene**™

**Direct From The Manufacture** 





# **Integrity Prophygiene**

## **Best Selling**



- Lightest Hygiene Handpiece only 2.3 oz. for Fatigue Free Use.
- Removable Mini Nose Cones for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacture.
- One Year Warranty, Made in the U.S.A.



# **Integrity Prophygiene**

## **Most Comfortable**

45° Connector Reduces Air Tube Drag 2.4 oz. (68 grams)



- 45° Connector reduces air tube drag.
- Lightest Hygiene Handpiece only 2.4 oz. for Fatigue Free Use.
- Removable Mini Nose Cone for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance with superior comfort and control.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacture.
- One Year Warranty, Made in the U.S.A.



Made in the U.S.A.

# **Prophygiene**Worlds Lightest

Lightest Swivel Hygiene Handpiece 2.1 oz. (60 grams)



- Lightest Hygiene Handpiece only 2.1 oz. for Fatigue Free Use.
- Removable Mini Nose Cone for Easy maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacture.
- One Year Warranty, Made in the U.S.A.



# **Integrity Prophygiene**™

## **Blue Beauty**

Lightest Swivel Hygiene Handpiece 2.2 oz. (63 grams)



- Lightest Hygiene Handpiece only 2.2 oz. for Fatigue Free Use.
- Removable Mini Nose Cone for Easy Maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacture.
- One Year Warranty, Made in the U.S.A.



Made in the U.S.A.

Page 4 www.prophy.com To Order Call: 1-866-618-1720 Page 5

# Integrity || Prophygiene™ LTD

## **Precious Violet**

Swivel Hygiene Handpiece 2.3oz. (65 grams)



Includes 3 Nose Cones & 1 Motor



- Lightest Hygiene Handpiece only 2.3 oz. for Fatigue Free Use.
- 3 Interchangable Mini Nose Cones for Easy Maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacture.
- One Year Warranty, Made in the U.S.A.



## **Integrity** [[

Swivel Hygiene Handpiece 2.3oz. (65 grams)



Each Includes 3 Nose Cones & 1 Motor



- Lightest Hygiene Handpiece only 2.3 oz. for Fatigue Free Use.
- 3 Interchangable Mini Nose Cones for Easy Maintenance & Sterilization.
- Friction Grip Chucking Mechanism, Just Push-In or Pull-Out the Prophy Head.
- Smooth, Vibration Free Operation, up to 5000 RPM.
- Ergonomic Design Provides Perfect Balance.
- 360° Swivel for Superb Maneuverability.
- Soft Start-up Speed Prevents Paste Splatter.
- Superior Torque to Overcome the Toughest Polishing Challenges.
- Directly Connects to Any 4-hole Tubing.
- Compatible with all Standard Disposable Prophy Angles.
- Autoclavable up to 275 °F (135 °C).
- Buy direct from the manufacture.
- One Year Warranty, Made in the U.S.A.



Made in the U.S.A.

 Page 6
 www.prophy.com
 To Order Call: 1-866-618-1720
 Page 7

## Buy **Integrity**™

## **Friction Grip Prophy Nose Cones**

For Disposable Prophy Angles!





Mini Friction Grip 1:1 Prophy Nose Cones for Disposable Prophy Angles. Fits all Integrity Motors.





Universal 1:1 Friction Grip Nose Cone for Disposable Prophy Angles. Fits Integrity & E-Type Motors. Best used with our Cordless Prophygiene Systems.

# **Integrity PGE-300**

Electric Handpiece System



### **System includes:**

Control box with all connections LED electric handpiece.

1:1 Straight Nose Cone with internal irrigation 1:1 Push button Contra Angle with internal irrigation Handpiece cradle included



1:1 Straight Nose Cone with internal irrigation



1:1 Push button Contra Angle with internal irrigation

### Description:

- Trouble free brush less motor.
- Motor incorporates bright white LED Lighting.
- Lube free motor.
- Nose Cones and Attachment are Autoclavable up to 275 °F (135 °C).
- Speed control, easily adjusts 16:1 reduction, 1:1 and 1:5 attachment
- Optional 1:5 Contra Angle. (at additional cost).
- One Year Warranty, Made in the U.S.A.

Page 8 www.prophy.com To Order Call: 1-866-618-1720 Page 9

# **Cordless Prophygiene**<sup>™</sup>- **E 100**

## **Hygiene Cordless Handpiece**

Compact & simple to use Lightweight & Superior Torque



- 360° swivel for superb maneuverability.
- Eroonomic design provides perfect balance.
- Extra High Torque for optimal procedures
- Stylish, Light and sleek body.
- Extra Friction-Grip Nose Cones can be purchased separately.
- All Nose Cones autoclavable at 135°C
- Built in feedback circuit keeps the rotation at a constant speed even when a load applied to the Motor Unit changes.
- Compatible with all universal disposable Prophy Angles.
- Non Contacts Wireless Charger.
- Simply push-in/pull-out disposable Prophy Angels.
- Buy direct from the manufacture
- Made in the U.S.A.
- Patent # D810938S, Patent # 10226310B2



Contact Less Charger

# **Cordless Prophygiene**<sup>™</sup>- **E 200**

## **Hygiene Cordless Handpiece**



- to use.
- Easy Fingertip start button operates with simplistic design.
- 360° swivel for superb maneuverability.
- Ergonomic design provides perfect balance.
- Extra High Torque for optimal procedures
- Stylish, Light and sleek body.
- Extra Friction-Grip Nose Cones can be purchased separately.
- Nose Cone autoclavable at 135°C
- Built in feedback circuit keeps the rotation at a constant speed even when a load applied to the Motor Unit changes.
- Compatible with all universal disposable Prophy Angles.
- Non Contact Dual Wireless Charger.
- Simply push-in/pull-out disposable Prophy Angels.
- Buy direct from the manufacture
- Made in the U.S.A.
- Patent # 10285776B1



Contact Less Charge

www.prophy.com To Order Call: 1-866-618-1720 Page 10 Page 11



### **BOX OF 500** COUNT AS LOW AS .14¢ EACH



CAT# NTL-01 Standard Latch Head, Manual Swing Type.



## **Integrity**™**E-Type Series**

One System covers all Speeds



**79**.95

#### CAT# NTE-11

1:1 Attachment for general dentistry.

**129**.95

#### CAT# NTE-14

1:4 Reduction Attachment For Pins, Post, Excavations & Prophys.

119.95

#### CAT# NTS-11

1:1 Straight Nose Cone, up to 40,000 RPM. For general dentistry.

169.<sup>95</sup>

#### CAT# NTS-14

1:4 Straight Nose Cone For Pins, Post, Excavations & Prophys.



CAT# NTS-11-M

## 109.<sup>95</sup>

#### CAT# NTS-11-M

1:1 Mini Straight Nose Cone, Fits all Integrity Motors For general dentistry.

#### CAT# NTS-FG-11

1:1 Friction Grip Straight Nose Cone For Disposable Prophy Angles.

#### CAT# NTS-FG-14

4:1 Friction Grip Straight Nose Cone For Disposable Prophy Angles.

## **Integrity**™ **Low Speed Motors** E- Type



CAT# NTE-20 20,000 RPM E-Type Air Motor



Made in the U.S.A.

Integrity E-Type Mini Motor Series will accept all E-Type attachments same power as above motor at only 1/2 the weight.



CAT# NTE-M20 20,000 RPM Mini Air Motor, No Reverse, Weights Only 1.6 oz.



CAT# NTE-M5

5,000 High Torque Mini Air Motor, No Reverse, Weights Only 1.7 oz.

Page 12 To Order Call: 1-866-618-1720 Page 13 www.prophy.com

## **Integrity** MW Series

"MidWest Style" Compatible with Midwest motors and attachments. At a fraction of the price.



MidWest Type friction grip prophy nose cone to fit MidWest Shorty and Rhino motors.



MidWest Style Straight Nose Cone

MidWest type nose cone to fit MidWest Shorty and Rhino motors.



CAT# MW-5K

### MidWest Style Motor

Midwest type motor 5000 RPM. To fit all Midwest attachments. One Rotational direction



#### CAT# MW-5K-FR MidWest Style Motor

Midwest type motor 5000 RPM. To fit all Midwest attachments, With Forward & Reverse Rotation.

## Integrity™

# Leverage Classic High Speed Motor

Push Button or Lever Bur Changing. **Ergonomic Comfort For Smooth Control** Attractive surface with No slip Grip design, Small Head Size, Light Weight & Whisper Quiet.



119.<sup>95</sup>

#### **CAT# MW-TUR-PB**

Push Button Turbine with Ceramic Ball Bearings.

> WE HAVE ALL **TURBINES FOR MOST** HANDPIECES AT LOW PRICES.

## Maximum Comfort with **Integrity Euro**

Contra Angles and Heads



**219**.90

## **INTEGRITY EURO**

## Contra-angle 1:1

With Replaceable Head, Push-button chuck for RA burs, Ideal for Cavity and Crown Preparation, Finishing and Excavating,



**259**.90

#### INTEGRITY EURO

#### Reducing contra-angle 4:1


With Replaceable Head, Push-button chuck For RA burs. Ideal for Cavity and Crown Preparation, Finishing and Excavating.



**299**.90

#### INTEGRITY EURO ENDO Reducing contra-angle 4:1

With Replaceable Head, Push-button Reciprocating chuck for Endo Hand Files. Ideal for Hand File Endo Procedures.



Pins. Post and Excavations.



1:1 Euro Style Contra Angle

1:1 Attachment general dentistry.





#### **Euro Push Button Head**

New Style Push Button Head 30,000 RPM for RA Burs 2.35mm

CAT# NTL-01-K



## FG Euro Push Button Head

New Style Ball Bearing Head 40.000 RPM for FG Burs 1.6mm

CAT# NTL-01-FGK



#### **Euro Endo Head**

New Style Reciprocating Push Button Chuck For Endo Hand Files

CAT# NTL-12-K

To Order Call: 1-866-618-1720 Page 14 www.prophy.com Page 15

Osseo Scientific, LLC

www.prophy.com • E-mail: prophygiene@gmail.com 2008 Route 37 East / Unit #9, Toms River, NJ 08753 Made in the U.S.A.

# and Recieve 25% off your **Purchase \$1000 or more Entire Item Order!**

# **TEST THE BEST FOR** 30 DAYS

the handpieces for a full refund. It's a risk-free opportunity to test the not completely satisfied with the outstanding performance, return products for 30 days. If you're Try any of our INTEGRITY very best.

or Visit us at www.prophy.com To Order Call: 1-866-618-1720

U.S. POSTAGE PAID NASHVILLE, TN PERMIT NO. 730 PRSRT MKTG